Job Name:	
Tag#	



Submittal D	ata Sheet
-------------	-----------

FFQ09Q2VJU

.75-Ton Ceiling Mounted Indoor Unit



Complete warranty details available from your local dealer or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec. If product is installed in a commercial application, limited warranty period is 5 years.

Electrical		*208/230V
	Cooling	Heating
Running Current (Rated) (A)	.23/.21*	.23/.21*
Power Consumption (Rated) (W)	23/23*	23/23*

Indoor Specifications				
	Cooling		Hea	ting
	Н	M	Н	M
Airflow Rate (cfm)	378	339	406	353
	L		L	
	268		268	
Sound (dBA)	38 / 35 / 29		38 / 35 / 29	
H/M/L	337	00 / 20	33,3	0 / 20
Dimensions (H × W × D) (in)		10-1/4 >	× 22-5/8 × 2	22-5/8
Weight (Lbs)		36		
Nominal Capacity (Btu/hr)			9,000	
*See Outdoor Unit for Rated Capacities				

Piping		
Liquid (in)	1/4	
Gas (in)	3/8	
Drain (in)	1-1/32	

Optional Accessories

Submittal Revision Date: June 2019



Page 1 of 2


Included	Part Number	Description	
	BRC1E73	Wired Navigation Remote Controller	
	BRC082A42W	Wireless Remote Controller (White)	
	BRC082A42S	Wireless Remote Controller (Silver)	
	BYFQ60C2W1S	Low Profile Decoration Panel (Silver) - $1^{-13}/_{16} \times 24^{-7}/_{16} \times 24^{-7}/_{16}$	
	BYFQ60C2W1W	Low Profile Decoration Panel (White) - $1^{-13}/_{16} \times 24^{-7}/_{16} \times 24^{-7}/_{16}$	
	BRYQ60A2S	Sensor kit (Silver) Intelligent Eye, Comfort Airflow, and Floor Sensor	
	BRYQ60A2W	Sensor kit (White) Intelligent Eye, Comfort Airflow, and Floor Sensor	
	BDBHQ44C60	Sealing member of air discharge outlet	
	KAFQ441BA60	Long-life filter	
	DACA-CP2-1	Maxi Orange Condensate Pump	
	DACA-CP3-1	Mini Condensate Pump 5 gph	
	AZAI6WSCDKA	DKN Cloud Wi-Fi Adaptor	
	**One Controller & Decoration Panel are R	equired	

Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

FFQ09Q2VJU Dimensional Data





Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Submittal Revision Date: June 2019

Job Name:	
Tag#	



Submittal Data Sheet

FFQ12Q2VJU

1-Ton Ceiling Mounted Indoor Unit



Complete warranty details available from your local dealer or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec. If product is installed in a commercial application, limited warranty period is 5 years.

Electrical		*208/230V
	Cooling	Heating
Running Current (Rated) (A)	.27/.24*	.27/.24*
Power Consumption (Rated) (W)	23/23*	23/23*

Indoor Specifications					
	Cooling		Heating		
	Н		M	Н	M
Airflow Rate (cfm)	406		353	427	371
	L		L		
	268		282		
Sound (dBA)	39 / 36 / 30		39 / 36 / 30		
H/M/L	33 /	, 3	0 / 30	33 / 3	0 / 30
Dimensions (H × W × D) (in) 10-1/4 × 22-5/8 × 22-5/8		2-5/8			
Weight (Lbs)		36			
Nominal Capacity (Btu/hr)				12,000	
*See Outdoor Unit for Rated Capacities					

Piping			
Liquid (in)	1/4		
Gas (in)	3/8		
Drain (in)	1-1/32		

Optional Accessories



Included	Part Number	Description	
	BRC1E73	Wired Navigation Remote Controller	
	BRC082A42W	Wireless Remote Controller (White)	
	BRC082A42S	Wireless Remote Controller (Silver)	
	BYFQ60C2W1S	Low Profile Decoration Panel (Silver) - $1^{-13}/_{16} \times 24^{-7}/_{16} \times 24^{-7}/_{16}$	
	BYFQ60C2W1W	Low Profile Decoration Panel (White) - $1^{-13}/_{16} \times 24^{-7}/_{16} \times 24^{-7}/_{16}$	
	BRYQ60A2S	Sensor kit (Silver) Intelligent Eye, Comfort Airflow, and Floor Sensor	
	BRYQ60A2W	Sensor kit (White) Intelligent Eye, Comfort Airflow, and Floor Sensor	
	BDBHQ44C60	Sealing member of air discharge outlet	
	KAFQ441BA60	Long-life filter	
	DACA-CP2-1	Maxi Orange Condensate Pump	
	DACA-CP3-1	Mini Condensate Pump 5 gph	
	AZAI6WSCDKA	6WSCDKA DKN Cloud Wi-Fi Adaptor	
	**One Controller & Decoration Panel are	Required	


Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Submittal Revision Date: June 2019 Page 1 of 2

FFQ12Q2VJU Dimensional Data





Submittal Revision Date: June 2019

Job Name:	
Tag#	



FFQ15Q2VJU

1.25-Ton Ceiling Mounted Indoor Unit



Complete warranty details available from your local dealer or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec. If product is installed in a commercial application, limited warranty period is 5 years.

Electrical		*208/230V
	Cooling	Heating
Running Current (Rated) (A)	.29/.26*	.29/.26*
Power Consumption (Rated) (W)	28/28*	28/28*

Indoor Specifications					
	C	Cooling		Heating	
	Н		M	Н	M
Airflow Rate (cfm)	420		367	441	385
	L 293			L	
			307		
Sound (dBA) H / M / L	40 / 37 / 31		40 / 37 / 31		
Dimensions (H × W ×	× D) (in)		10-1/4 × 22-5/8 × 22-5/8		
Weight (Lbs)		36			
Nominal Capacity (Btu/hr)		15,000			
*See Outdoor Unit for Rated Capacities					

Piping		
Liquid (in)	1/4	
Gas (in)	1/2	
Drain (in)	1-1/32	

Optional Accessories




Included	Part Number	Description		
	BRC1E73	Wired Navigation Remote Controller		
	BRC082A42W	Wireless Remote Controller (White)		
	BRC082A42S	Wireless Remote Controller (Silver)		
	BYFQ60C2W1S	Low Profile Decoration Panel (Silver) - $1^{-13}/_{16} \times 24^{-7}/_{16} \times 24^{-7}/_{16}$		
	BYFQ60C2W1W	Low Profile Decoration Panel (White) - $1^{-13}/_{16} \times 24^{-7}/_{16} \times 24^{-7}/_{16}$		
	BRYQ60A2S	Sensor kit (Silver) Intelligent Eye, Comfort Airflow, and Floor Sensor		
	BRYQ60A2W	Sensor kit (White) Intelligent Eye, Comfort Airflow, and Floor Sensor		
	BDBHQ44C60	Sealing member of air discharge outlet		
	KAFQ441BA60	Long-life filter		
	DACA-CP2-1	Maxi Orange Condensate Pump		
	DACA-CP3-1	Mini Condensate Pump 5 gph		
	AZAI6WSCDKA	DKN Cloud Wi-Fi Adaptor		
	**One Controller & Decoration Panel are Required			

Submittal Creation Date: June 2019 Page 1 of 2

FFQ15Q2VJU Dimensional Data





Submittal Creation Date: June 2019

Job Name:	
Tag#	



Submittal Data Sheet

FFQ18Q2VJU

1.5-Ton Ceiling Mounted Indoor Unit



Complete warranty details available from your local dealer or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec. If product is installed in a commercial application, limited warranty period is 5 years.

Electrical		*208/230V
	Cooling	Heating
Running Current (Rated) (A)	.52/.47*	.52/.47*
Power Consumption (Rated) (W)	51/51*	51/51*

Indoor Specifications					
	Cooling		Heating		
	Н		M	Н	M
Airflow Rate (cfm)	448		378	498	420
	Ĺ		L	Ĺ	
		275		307	
Sound (dBA) H / M / L	44 / 40 / 32		44 / 40 / 32		
Dimensions (H × W × D) (in)		10-1/4 × 22-5/8 × 22-5/8			
Weight (Lbs)		39			
Nominal Capacity (Btu/hr)		18,000			
*See Outdoor Unit for Rated Capacities					

Piping			
Liquid (in)	1/4		
Gas (in)	1/2		
Drain (in)	1-1/32		

Optional Accessories




Included	Part Number	Description		
	BRC1E73	Wired Navigation Remote Controller		
	BRC082A42W	Wireless Remote Controller (White)		
	BRC082A42S	Wireless Remote Controller (Silver)		
	BYFQ60C2W1S	Low Profile Decoration Panel (Silver) - $1^{-13}/_{16} \times 24^{-7}/_{16} \times 24^{-7}/_{16}$		
	BYFQ60C2W1W	Low Profile Decoration Panel (White) - $1^{-13}/_{16} \times 24^{-7}/_{16} \times 24^{-7}/_{16}$		
	BRYQ60A2S	Sensor kit (Silver) Intelligent Eye, Comfort Airflow, and Floor Sensor		
	BRYQ60A2W	Sensor kit (White) Intelligent Eye, Comfort Airflow, and Floor Sensor		
	BDBHQ44C60	Sealing member of air discharge outlet		
	KAFQ441BA60	Long-life filter		
	DACA-CP2-1	Maxi Orange Condensate Pump		
	DACA-CP3-1	Mini Condensate Pump 5 gph		
	AZAI6WSCDKA	DKN Cloud Wi-Fi Adaptor		
	**One Controller & Decoration Panel are Required			

Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

Submittal Creation Date: June 2019 Page 1 of 2

FFQ18Q2VJU Dimensional Data





Submittal Creation Date: June 2019