Job Name:	
Tag#	



Submittal Data Sheet

FTXR09TVJUW(S)

.75-Ton Wall Mounted Indoor Unit



J2 YEAR PARTS LIMITED WARRANTY

Complete warranty details available from your local dealer or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec. If product is installed in a commercial application, limited warranty period is 5 years.

Electrical		*208/230V
	Cooling	Heating
Running Current (Rated) (A)	.07/.07*	.13/.12*
Power Consumption (Rated) (W)	13/13*	26/26*

Indoor Specifications					
	Cooling			Heating	
	Н		M	Н	M
Airflow Rate (cfm)	272		208	346	258
	L		SL	L	SL
	162		134	201	117
Sound (dBA) H / M / L / SL	38 / 32 / 25 / 19		41 / 34 ,	/ 28 / 19	
Dimensions (H × W × D) (in)			11-15/16	× 39-5/16	× 8-3/8
Weight (Lbs)		27			
Nominal Capacity (Btu/hr)		9,000			
*See Outdoor Unit for Rated Canacities					

Piping	
Liquid (in)	1/4
Gas (in)	3/8
Drain (in)	11/16

Co	lor	Sel	lection
~~		30	

White______ Silver_____


Optional Accessories



Included	Part Number	Description
	BRP072A43	Wireless Interface Adapter (S21 Adapter Included)
	BRC944B2-A08	Wired Remote Controller Kit (Includes BRC944B2 & BRCW901A08)
	BRCW901A03	Wired Remote Controller Cable - 10 ft (For BRC944B2)
	BRCW901A08	Wired Remote Controller Cable - 25 ft (For BRC944B2)
	KRP928BB2S	Interface adaptor for DIII-NET
	DACA-CP1-1	Inline Condensate Pump (Fits inside all Daikin wall & floor mount units)
	DACA-CP4-1	External Condensate Pump
	KAF970A46	Air-purifying filter with photocatalytic deodorizing function (without frame)

FTXR09TVJUW(S) Dimensional Data





Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Submittal Creation Date: February 2019

Job Name:	
Tag#	



Submittal Data Sheet

FTXR12TVJUW(S)

1-Ton Wall Mounted Indoor Unit



12 YEAR PARTS LIMITED WARRANTY

Complete warranty details available from your local dealer or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec. If product is installed in a commercial application, limited warranty period is 5 years.

Electrical		*208/230V
	Cooling	Heating
Running Current (Rated) (A)	.13/.12*	.19/.17*
Power Consumption (Rated) (W)	26/26*	38/38*

Indoor Specifications					
	Cooling			Heating	
	Н		M	Н	M
Airflow Rate (cfm)	335		219	395	290
	L		SL	L	SL
	169		131	226	131
Sound (dBA)	45 / 34 ,		/ 26 / 20	45 / 37 / 29 / 20	
H/M/L/SL			20 / 20	45 / 57 /	29 / 20
Dimensions (H × W × D) (in)			11-15/16	× 39-5/16 :	× 8-3/8
Weight (Lbs)		27			
Nominal Capacity (Btu/hr)		12,000			
*See Outdoor Unit for Rated Capacities					

Piping	
Liquid (in)	1/4
Gas (in)	3/8
Drain (in)	11/16

Co	lor	Se	lecti	on

White _____

Silver


Optional Accessories



Included	Part Number	Description
	BRP072A43	Wireless Interface Adapter (S21 Adapter Included)
	BRC944B2-A08	Wired Remote Controller Kit (Includes BRC944B2 & BRCW901A08)
	BRCW901A03	Wired Remote Controller Cable - 10 ft (For BRC944B2)
	BRCW901A08	Wired Remote Controller Cable - 25 ft (For BRC944B2)
	KRP928BB2S	Interface adaptor for DIII-NET
	DACA-CP1-1	Inline Condensate Pump (Fits inside all Daikin wall & floor mount units)
	DACA-CP4-1	External Condensate Pump
	KAF970A46	Air-purifying filter with photocatalytic deodorizing function (without frame)

FTXR12TVJUW(S) Dimensional Data





Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Submittal Creation Date: February 2019

Job Name:	
Tag#	



Submittal Data Sheet

FTXR18TVJUW(S)

1.5-Ton Wall Mounted Indoor Unit



12 YEAR PARTS LIMITED WARRANTY

Complete warranty details available from your local dealer or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec. *If product is installed in a commercial application, limited warranty period is 5 years*.

Electrical		*208/230V
	Cooling	Heating
Running Current (Rated) (A)	.14/.14*	.21/.21*
Power Consumption (Rated) (W)	28/28*	42/42*

Indoor Specifications					
	Cooling			Heating	
Airflow Rate (cfm)	Н		M	Н	M
	350		275	413	332
	L		SL	L	SL
	226		208	275	208
Sound (dBA) H / M / L / SL	46 / 40 / 35 / 30		47 / 41 / 35 / 30		
Dimensions (H × W ×	D) (in)		11-15/16	× 39-5/16	× 8-3/8
Weight (Lbs)		27			
Nominal Capacity (Btu/hr)		18,000			
*See Outdoor Unit for Rated Capacities					

Piping		
Liquid (in)	1/4	
Gas (in)	1/2	
Drain (in)	11/16	

Co	lor	Sel	lecti	on
				•

White _____ Silver _____


Optional Accessories



Included	Part Number	Description
	BRP072A43	Wireless Interface Adapter (S21 Adapter Included)
	BRC944B2-A08	Wired Remote Controller Kit (Includes BRC944B2 & BRCW901A08)
	BRCW901A03	Wired Remote Controller Cable - 10 ft (For BRC944B2)
	BRCW901A08	Wired Remote Controller Cable - 25 ft (For BRC944B2)
	KRP928BB2S	Interface adaptor for DIII-NET
	DACA-CP1-1	Inline Condensate Pump (Fits inside all Daikin wall & floor mount units)
	DACA-CP4-1	External Condensate Pump
	KAF970A46	Air-purifying filter with photocatalytic deodorizing function (without frame)

FTXR18TVJUW(S) Dimensional Data





Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Submittal Creation Date: February 2019