

Job Name:	
Tag#	



Submittal Data Sheet

FTXS09LVJU

.75-Ton Wall Mounted Indoor Unit



Complete warranty details available from your local dealer or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec. *If product is installed in a commercial application, limited warranty period is 5 years.*

Electrical

*208/230V

	Cooling	Heating
Running Current (Rated) (A)	.09/.08*	.11/.10*
Power Consumption (Rated) (W)	18/18*	21/21*

Indoor Specifications

Airflow Rate (cfm)	Cooling		Heating	
	H	M	H	M
	381	279	420	321
	L	SL	L	SL
	194	145	233	219
Sound (dBA) H / M / L / SL	41 / 33 / 25 / 22		42 / 35 / 28 / 25	
Dimensions (H × W × D) (in)		11-5/8 × 31-1/2 × 8-7/16		
Weight (Lbs)		20		
Nominal Capacity (Btu/hr)		9,000		

*See Outdoor Unit for Rated Capacities

Piping

Liquid (in)	1/4
Gas (in)	3/8
Drain (in)	5/8

Optional Accessories




Included	Part Number	Description
	BRP072A43	Wireless Interface Adapter (S21 Adapter Included)
	DACA-TS-1	Daikin ENVi Intelligent Thermostat Kit
	BRC944B2-A08	Wired Remote Controller Kit (Includes BRC944B2 & BRCW901A08)
	DACA-BRCW901P10	Remote Controller Cable, Plenum Rated, 10 ft (For BRC944B2)
	DACA-BRCW901P25	Remote Controller Cable, Plenum Rated, 25 ft (For BRC944B2)
	KRP928BB2S	Interface adaptor for DIII-NET
	DACA-CP1-1	Inline Condensate Pump (Fits inside all Daikin wall & floor mount units)
	DACA-CP4-1	External Condensate Pump
	KAF925B42	Air-purifying filter with photocatalytic deodorizing function (without frame)

Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Submittal Creation Date: June 2017

Page 1 of 2



Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Job Name:	
Tag#	



Submittal Data Sheet

FTXS12LVJU

1-Ton Wall Mounted Indoor Unit



Complete warranty details available from your local dealer or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec. *If product is installed in a commercial application, limited warranty period is 5 years.*

Electrical

*208/230V

	Cooling	Heating
Running Current (Rated) (A)	.13/.12*	.14/.13*
Power Consumption (Rated) (W)	26/26*	28/28*

Indoor Specifications

Airflow Rate (cfm)	Cooling		Heating	
	H	M	H	M
	403	307	438	335
	L	SL	L	SL
	205	155	240	212
Sound (dBA) H / M / L / SL	45 / 37 / 29 / 23		45 / 39 / 29 / 26	
Dimensions (H × W × D) (in)		11-5/8 × 31-1/2 × 8-7/16		
Weight (Lbs)		22		
Nominal Capacity (Btu/hr)		12,000		

*See Outdoor Unit for Rated Capacities

Piping

Liquid (in)	1/4
Gas (in)	3/8
Drain (in)	5/8

Optional Accessories



Included	Part Number	Description
	BRP072A43	Wireless Interface Adapter (S21 Adapter Included)
	DACA-TS-1	Daikin ENVi Intelligent Thermostat Kit
	BRC944B2-A08	Wired Remote Controller Kit (Includes BRC944B2 & BRCW901A08)
	DACA-BRCW901P10	Remote Controller Cable, Plenum Rated, 10 ft (For BRC944B2)
	DACA-BRCW901P25	Remote Controller Cable, Plenum Rated, 25 ft (For BRC944B2)
	KRP928BB2S	Interface adaptor for DIII-NET
	DACA-CP1-1	Inline Condensate Pump (Fits inside all Daikin wall & floor mount units)
	DACA-CP4-1	External Condensate Pump
	KAF925B42	Air-purifying filter with photocatalytic deodorizing function (without frame)


Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Submittal Creation Date: June 2017

Page 1 of 2

FTXS12LVJU Dimensional Data



Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Submittal Creation Date: June 2017

Page 2 of 2

Job Name:	
Tag#	



Submittal Data Sheet

FTXS15LVJU

1.25-Ton Wall Mounted Indoor Unit



Complete warranty details available from your local dealer or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec. *If product is installed in a commercial application, limited warranty period is 5 years.*

Electrical

*208/230V

	Cooling	Heating
Running Current (Rated) (A)	.31/.29*	.31/.29*
Power Consumption (Rated) (W)	38/38*	38/38*

Indoor Specifications

Airflow Rate (cfm)	Cooling		Heating	
	H	M	H	M
	568	477	593	505
	L	SL	L	SL
	385	360	417	371
Sound (dBA) H / M / L / SL	45 / 40 / 35 / 32		43 / 38 / 33 / 30	
Dimensions (H x W x D) (in)	13-3/8 x 41-5/16 x 9-3/4			
Weight (Lbs)	31			
Nominal Capacity (Btu/hr)	15,000			

*See Outdoor Unit for Rated Capacities

Piping

Liquid (in)	1/4
Gas (in)	1/2
Drain (in)	5/8

Optional Accessories




Included	Part Number	Description
	BRP072A43	Wireless Interface Adapter (S21 Adapter Included)
	DACA-TS-1	Daikin ENVi Intelligent Thermostat Kit
	BRC944B2-A08	Wired Remote Controller Kit (Includes BRC944B2 & BRCW901A08)
	DACA-BRCW901P10	Remote Controller Cable, Plenum Rated, 10 ft (For BRC944B2)
	DACA-BRCW901P25	Remote Controller Cable, Plenum Rated, 25 ft (For BRC944B2)
	KRP928BB2S	Interface adaptor for DIII-NET
	DACA-CP1-1	Inline Condensate Pump (Fits inside all Daikin wall & floor mount units)
	DACA-CP4-1	External Condensate Pump
	KAF970A46	Air-purifying filter with photocatalytic deodorizing function (without frame)

Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

FTXS15LVJU Dimensional Data



Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Submittal Creation Date: June 2017

Page 2 of 2

Job Name:	
Tag#	



Submittal Data Sheet

FTXS18LVJU

1.5-Ton Wall Mounted Indoor Unit



Complete warranty details available from your local dealer or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec. *If product is installed in a commercial application, limited warranty period is 5 years.*

Electrical

*208/230V

	Cooling	Heating
Running Current (Rated) (A)	.32/.30*	.32/.30*
Power Consumption (Rated) (W)	38/38*	38/38*

Indoor Specifications

Airflow Rate (cfm)	Cooling		Heating	
	H	M	H	M
	583	484	625	526
	L	SL	L	SL
	385	360	431	399
Sound (dBA) H / M / L / SL	46 / 41 / 33 / 33		45 / 40 / 35 / 32	
Dimensions (H x W x D) (in)		13-3/8 x 41-5/16 x 9-3/4		
Weight (Lbs)		31		
Nominal Capacity (Btu/hr)		18,000		

*See Outdoor Unit for Rated Capacities

Piping

Liquid (in)	1/4
Gas (in)	1/2
Drain (in)	5/8

Optional Accessories



Included	Part Number	Description
	BRP072A43	Wireless Interface Adapter (S21 Adapter Included)
	DACA-TS-1	Daikin ENVi Intelligent Thermostat Kit
	BRC944B2-A08	Wired Remote Controller Kit (Includes BRC944B2 & BRCW901A08)
	DACA-BRCW901P10	Remote Controller Cable, Plenum Rated, 10 ft (For BRC944B2)
	DACA-BRCW901P25	Remote Controller Cable, Plenum Rated, 25 ft (For BRC944B2)
	KRP928BB2S	Interface adaptor for DIII-NET
	DACA-CP1-1	Inline Condensate Pump (Fits inside all Daikin wall & floor mount units)
	DACA-CP4-1	External Condensate Pump
	KAF970A46	Air-purifying filter with photocatalytic deodorizing function (without frame)


Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Submittal Creation Date: June 2017

Page 1 of 2

FTXS18LVJU Dimensional Data



Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Submittal Creation Date: June 2017

Page 2 of 2


Job Name:	
Tag#	



Submittal Data Sheet

FTXS24LVJU

2-Ton Wall Mounted Indoor Unit



Complete warranty details available from your local dealer or at www.daikincomfort.com. To receive the 12-Year Parts Limited Warranty, online registration must be completed within 60 days of installation. Online registration is not required in California or Quebec. *If product is installed in a commercial application, limited warranty period is 5 years.*

Electrical

*208/230V

	Cooling	Heating
Running Current (Rated) (A)	.57/.51*	.57/.51*
Power Consumption (Rated) (W)	69/68*	69/68*

Indoor Specifications

Airflow Rate (cfm)	Cooling		Heating	
	H	M	H	M
	643	494	699	572
	L	SL	L	SL
	350	328	445	403
Sound (dBA) H / M / L / SL	51 / 44 / 37 / 34		48 / 42 / 37 / 34	
Dimensions (H × W × D) (in)		13-3/8 × 41-5/16 × 9-3/4		
Weight (Lbs)		31		
Nominal Capacity (Btu/hr)		24,000		

*See Outdoor Unit for Rated Capacities

Piping

Liquid (in)	1/4
Gas (in)	5/8
Drain (in)	5/8

Optional Accessories



Included	Part Number	Description
	BRP072A43	Wireless Interface Adapter (S21 Adapter Included)
	DACA-TS-1	Daikin ENVi Intelligent Thermostat Kit
	BRC944B2-A08	Wired Remote Controller Kit (Includes BRC944B2 & BRCW901A08)
	DACA-BRCW901P10	Remote Controller Cable, Plenum Rated, 10 ft (For BRC944B2)
	DACA-BRCW901P25	Remote Controller Cable, Plenum Rated, 25 ft (For BRC944B2)
	KRP928BB2S	Interface adaptor for DIII-NET
	DACA-CP1-1	Inline Condensate Pump (Fits inside all Daikin wall & floor mount units)
	DACA-CP4-1	External Condensate Pump


Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Submittal Creation Date: June 2017

Page 1 of 2

FTXS24LVJU Dimensional Data



Daikin North America LLC 5151 San Felipe, Suite 500 Houston, TX 77056

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Submittal Creation Date: June 2017

Page 2 of 2