

EZSERIES

EASY DIRECT TANK REPLACEMENT



40, 50, 75
GALLON TANK REPLACEMENTS


NORITZ[®]
TANKLESS WATER HEATERS

WHAT'S THE EZ SERIES?

THE EASY DIRECT TANK REPLACEMENT

Traditional water heaters have top mounted water connections so why shouldn't tankless do the same? We've designed the EZ Series with this in mind for truly quick swap out and installation.

TOP MOUNTED CONNECTIONS LIKE A TANK



EFFICIENT, SPACE SAVINGS LIKE A TANKLESS

THE NORITZ ADVANTAGE

CLEAN

SCAQMD requires a level of 20 PPM. The new EZ111 and EZ98 is rated at 14 PPM NOx emissions bringing a new meaning to **ULTRA LOW NOX**.

EFFICIENT

Industry leading **.97 EF** rating exceeds Energy Star Standards.

VERSATILE

Install indoors with **2" flex vent, direct vent, single vent, or outdoors**. The new EZ Series lineup is more versatile than ever.

EASY

Custom engineered for the North American market, the EZ Series brings you **TOP MOUNT CONNECTIONS** for drastic time saving on installations.



THE EZTR PACK BUNDLED FOR QUICK INSTALLATION

MEET THE EASIEST TANKLESS YOU WILL INSTALL

THE ANATOMY OF THE
DIRECT TANK REPLACEMENT

TOP MOUNTED CONNECTION
FOR FASTER, CLEANER INSTALLATION


VERSATILE VENTING
SUPPORTS MULTIPLE CONFIGURATIONS



Top Mounted Water Connections

The EZTR Series top mounted water connections allow for fast and easy installation.

- Installs Through Existing B Vent (3 and 4 inch round double wall vent)
- Replaces 40, 50, 75 Gallon Tank
- Top Mount Water Connections
- 1/2 Inch Gas Line Capable



2" Flex Vent



Direct Vent



Single Vent



Outdoor


WIFI CAPABLE
WITH ADAPTER



**DUAL STAINLESS STEEL
HEAT EXCHANGER**
BUILT STRONGER TO LAST LONGER

ACCESSORIES INCLUDED

All venting and isolation valves are included in the bundled pack for quick and easy installation. Stop worrying about having all your parts for installs with the EZ Series Bundle Packs.



EZTR40

15,000 -120,000 BTU

6.6 MAX GPM

.91 ENERGY FACTOR

Only available as EZTR Bundle
Not approved for Canada
Indoor Installation Only

EZ98
BUNDLED IN EZTR50

EZ111
BUNDLED IN EZTR75



QUICK SPECS

EZ98

9.8 GPM

18,000-180,000 BTU

EZ111

11.1 GPM

18,000-199,900 BTU

Dual Stainless Steel
Heat Exchangers

Quick Connect

Wifi Capable

Common Vent Capable

Altitude up to 10,000 ft



For more information: (888) 456-6748
www.ezseries.noritz.com

NORITZ[®]
ALWAYS HOT[®]

HQ: 11160 Grace Avenue, Fountain Valley, CA 92708
2017 FEB © 2017 NORITZ AMERICA[®] CORP. ALL RIGHTS RESERVED. LT0032